



**Choosing the**  
**RIGHT** *Mount*

**... for YOUR  
scope and rifle**

**A** fine scope sight is the fastest, most efficient gun sight known. But it is of value to you only when properly mounted. **A SCOPE IS ONLY AS GOOD AS ITS MOUNT.** Logically, then, the choice of a mount should never be a casual one. Keep these important points in mind always:

**1** The mount must hold the scope in perfect alignment with the rifle bore regardless of heavy recoil or rough usage. Wide spaced bases are necessary. High precision machining of parts is necessary. Every detail, from the basic design to the screws used, must be strictly functional.

**2** Choose a mount that positions the scope low over the bore. You need it for ease in sighting in your natural position.

**3** The scope must be mounted the correct distance from your eye for comfortable sighting and fast, easy shooting.

**4** The mount should bear an established name, because such mounts have proved their worth in a highly competitive field. For any accessory that goes on a gun, get one with high integrity behind it.

In this booklet the complete line of Stith Mounts is shown. The rifleman is not limited to a single mount design. The Stiths offer a choice of mount styles based on wide, practical experience: permanent mounts for the man who never considers taking a scope off a rifle; quick detachable mounts for the man who likes to use

two or more scopes on the same rifle, or change one scope from rifle to rifle. Light, inexpensive rings for .22 caliber rifles; rugged, shock-proof mounts for big-bore rifles. The Stith line makes available the specific mount design which best meets the requirements of a given rifle and the man who shoots it.

# THE **S**TITH DOVETAIL MOUNT (Illustrated on Cover)

A simple, strong, lightweight mount for use with double-adjustment scopes. The two bases fit on top of the receiver. The scope bands are split for ease of installation. Dovetails cut in the bottom of the bands fit corresponding dovetails cut in the mount bases. This mount allows more latitude for eye relief than any other mount made; scope can be moved forward or back in the bands and, in addition, the bands can be moved forward or back on the bases.

Still another special feature of the Dovetail Mount; the dovetails in the scope bands are cut 10/1000-inch off-center so that with standard mounting the scope will be in neutral position to the bore. However, if rifle shoots to the left, the front scope band is simply reversed; if it shoots to the right, the rear scope band is reversed. A simple, effective aid to keep the reticule in the center of the scope.

Price complete — **\$15.00**

**Bands** (available for 3/4", 7/8", 1", and 1.023" tubes) **\$10.00** a pair

**Bases**, per set — **\$5.00**

## Bases are made for:

Win. 43, 52S, Postwar 70, Prewar 70 and 54, 61, 63, 74, (69-72 same mount) — 75S. Rem. 121, 513S, 550, 30, (510-511-512-521 — same mount) (721-722, same mount), 141.

Marlin 39A; 336; Springfield; Enfield — flat base; Enfield — round base (Rem. 30); Mauser 98; Mauser F. N. **Price \$15.00.**



BRNO Big Bore\*; BRNO .218; Hornet\*\*; Sako L-46\*\* — **\$20.00.**

**PRICE \$15.00**

(\*The DT Mount for BRNO big bore rifles fits directly on the dovetail bases machined in the receiver. \*\*The BRNO .218 and Hornet and Sako L-46 have an auxiliary base which fits on the dovetails on the receivers.)



**STITH  
DOVETAIL  
MOUNT**




# THE **S**TITH MASTER MOUNT

The most versatile scope mount made. Built into the two Master Mount bases are sets of threaded cones, the rear set to provide windage, the front set for elevation adjustment. The front set is moved closer together or farther apart as needed, to raise or lower the front end of the scope. The rear set is moved to right or left as needed, to swing the rear of the scope in the direction required for proper windage.

By using the adjustments in the mount and zeroing the scope to the rifle, one scope may be used interchangeably on two or more rifles and be zeroed to all

of them. Equally easy is the use of two or more scopes on one rifle by zeroing the first scope with the adjustments in the mount, zeroing the second and succeeding scopes with their own internal adjustments. You can use a 2½X, 4X, 6X, 8X, or 10X, all interchangeably on the same Model 721, for example. A fold-down peep sight is built into the rear mount base—ready for instant use when the scope is removed.



## Master Mount bases are made for:


Remington 721	} Same Mount	Enfield — flat base
Remington 722		round base
Winchester 70	} Same Mount	Mauser — 98
Winchester 54		FN
Savage 99		Springfield
		BRNO (big bore only)

\*\* Bases are made only for these rifles and for no others.

PRICE  
**\$27.50**

Extra scope band	\$6.50
Extra bases	21.00
Protector bands, separately, pair	1.50

## STITH MASTER MOUNT




**Scope bands** are made for ¾", ⅞", 1", and 1.023" scopes.

**The Q. E. D. Mount** This mount, for Win. 70 and 54; and Rem. 721-722 only, combines all of these important features:

Stith shield-type design, for maximum scope protection. Easy installation; no drilling of rifle. Lightweight; aluminum alloy with steel bases. Detachable by removing two coin-slotted screws; replaced scope returns precisely to zero. Strong ... accurate ... dependable.

**Available only for Win. 70-54;  
Rem. 721-722 for:**




Weaver J2.5	}	<b>\$12.00</b>
Weaver K2.5		
Weaver K4-KV	}	<b>\$15.00</b>
Weaver K6		
Lyman-Alaskan	}	Same Mount <b>\$15.00</b>
Texan		

**Q. E. D. Windage Mount** An efficient adaptation of the regular Q. E. D., with windage adjustment in the rear base. Simple, accurate, thoroughly dependable. Has all the advantages of the regular mount plus the windage adjustment.

**Available only for: Remington 721-722; Winchester 70-54 for:**

Stith Bear Cub 2½X de luxe.	}	Same Mount <b>\$15.00</b>	
Alaskan			
Texan			



## REMINGTON MODELS 81-141

### MODEL 81 MOUNT

This Stith Mount, low and compact, offsets the scope ¾" to the left, allowing efficient shell ejection. *This is the only mount for the M81 designed so the screws attach to the thick part of the receiver ... your "factor of safety" against the recoil of the Autoloader.*

NOTE: Scopes with crosshair or Lee Dot reticules can be rotated so adjustment buttons are on left side, thus clearing the line of iron sights to permit optional use.

### MOUNTS AVAILABLE FOR:

Weaver J2.5	Weaver K4	
Weaver K25	Weaver KV	
Alaskan	} Same Mount	<b>\$20.00</b>
Texan		
Stith Bear Cub - 4X Double		
Stith Bear Cub - 2¾X Double		


### REMINGTON MODEL 141

Lowest Position ... Wide Spaced bases ... Scope Protection ... Easy Installation. This is the most desirable mount for Remington's fast handling, slide action big game rifle.


### MOUNT PRICES

Weaver, J2.5	<b>\$12.00</b>
Weaver K25, K4, K6, Alaskan, Texan, Stith Bear Cub 2½X De Luxe	<b>\$15.00</b>
Stith Bear Cub 4X Double 2¾X Double	<b>\$20.00</b>

All above mounts regularly furnished with dovetail to fit in barrel slot. Mounts can be furnished with barrel block if necessary to move scope forward or back. Barreldiameters required.



The Remington Model 81 Autoloader, with Weaver K2.5 scope in Stith Streamlined Mount.




Remington 141 Texan Scope, Stith "Streamlined" Mount.

## Stith Install-It-Yourself Win. 43 Mount

This new STITH INSTALL-IT-YOURSELF Mount for the Winchester 43 requires NO DRILLING OR TAPPING OF RIFLE. Wide-spaced bases for greatest stability and accuracy. The front mount uses the dovetail slot, the rear mount the factory drilled holes in the side of the receiver.

### Winchester 43 Mount

With windage adjustment for Stith Bear Cub 2½X;  
Alaskan; Texan **\$15.00**  
Without windage adjustment for Weaver, G4, G6, J2.5,  
J4, K2.5, K4, KV **\$15.00**



## The 22-22 Mount


Made especially for neat, unobtrusive scope mounting on .22 caliber rifles, this economical mount avoids any need for putting "a hundred-dollar saddle on a fifty-dollar horse." Bases are wide-spaced. Mount rings are of finest quality steel machined to high accuracy. All screws are special design socket-head of high strength steel alloy. Made in three sizes, ¾", ⅞", and 1" for the following rifles:

Price, **\$8.00**

### FOR FOLLOWING .22 CALIBER RIFLES

Winchester — 75, 69, 72 — Same Mount  
— 75 Target  
— 61, 74  
— 63, 43  
Savage 23D(AA) — 219, 6A, 29A  
Stevens 87A, 420

Marlin 39A  
H & R Leatherneck Model 165  
Remington — 513 Sporter  
— 513 Target  
— 510, 511, 512, 521T — Same Mount  
— 121, 550, 241




## Savage M99 Mount

The Stith Install-It-Yourself Mount is designed for rigid, dependable scope attachment, machined with high precision for accurate fit and easy installation. A justly famous mount, low and rugged, for maximum service and scope protection.

NOTE: SAVAGE MODEL 99 RIFLES WITH FEATHER-WEIGHT BARRELS require a thicker dovetail block with the Install-It-Yourself Mount, to compensate for the smaller diameter barrel. Please specify if your rifle has the standard or feather-weight barrel.

MODEL 99 TAKEDOWN rifles should be carefully checked before scope mounting to make sure there is no looseness present which might throw the scope off zero. Any competent gunsmith can check this for you, and tighten the joint if necessary.



### SAVAGE 99 MOUNTS for:

Weaver J2.5

Bear Cub 2½X De Luxe  
Bear Cub 2¾X Double  
Lyman Alaskan  
Texan

} Same Mount **\$20.00**


Weaver K2.5

Weaver K4 — KV

Stith Bear Cub 4 Double

WITH BEAR CUB DELUXE The popular lever action hunting rifle fitted with the finest in scope sight equipment. The brilliant optics of the Stith Bear Cub Scope, solidly mounted in the I-I-Y windage mount, produces top efficiency in rifle and rifleman.

# For the ultimate in shooting accuracy . . . get a **Stith Scope**



Stith Bear Cub 6X. Available with or without internal adjustments for windage and elevation. Double adjustment illustrated.

Stith Bear Cub 4X. Available with or without internal adjustments for windage and elevation. Double adjustment illustrated.

Stith Bear Cub 2 $\frac{3}{4}$ X. Available with internal adjustments for windage and elevation only.

**STITH**  
**SCOPES &  
MOUNTS**

500 TRANSIT TOWER  
SAN ANTONIO, TEXAS